

# META FIX® Bolted shelving

– the value-for-money classic.



The storage system



## Tidy storage and easy access at low cost

– with the classic bolted shelving by META

For a wide range of uses in the workshop, store, warehouse, showroom, cellar, garage and office.

- FIX® KIT MS 230 // galvanised or powder coated RAL 7035 light grey finishes.
- Ready packed starter and add-on bays.
- Shelves will accept system accessories such as dividers – perforated at 50 mm centres.
- Shelves can be adjusted at 25 mm vertical centres.
- Economical bolted shelving where frequent adjustment is not required.
- Shelf loadings up to 230kg with the META MULTI STABIL® shelves.



## THREE BAY KIT FIX KIT MS // 230

As pictured (excluding stored goods)  
Galvanised finish.  
Overall dimensions 2000 mm H x 3008mm L x 504mm D.  
4 shelves per bay – one starter bay and two add-on bays.

**Ref No. 70188**

## Standard bolted bays MS 230 //

| Bay height<br>mm | Bay width x depth<br>mm | Shelf levels<br>Pcs | Shelf load*<br>Starter/Add-on<br>kg | Bay load*<br>kg | Galvanised finish |                | Powder coated RAL 7035 |                |
|------------------|-------------------------|---------------------|-------------------------------------|-----------------|-------------------|----------------|------------------------|----------------|
|                  |                         |                     |                                     |                 | Starter<br>Ref.   | Add-on<br>Ref. | Starter<br>Ref.        | Add-on<br>Ref. |
| 2000             | 1000 x 500              | 4                   | 230 / 230                           | 940             | 41969             | 41972          | 68421                  | 68423          |

\* Uniformly distributed load (UDL)

## Extra shelves MS 230 // (pack of two)

| Shelf-length x depth<br>mm | Pack shelves<br>Pcs | Finish             |                  |
|----------------------------|---------------------|--------------------|------------------|
|                            |                     | galvanised<br>Ref. | RAL 7035<br>Ref. |
| 1000 x 500                 | 2                   | 11324              | 68416            |

|   |  |
|---|--|
| <p><b>Starter bay</b><br/>4 uprights ML35<br/>4 shelves<br/>fastenings</p> <p>Layout allowances;<br/>Nominal length<br/>+4mm<br/>Nominal depth<br/>+4mm</p> | <p><b>Add-on bay</b><br/>2 uprights ML35<br/>4 shelves<br/>fastenings</p> <p>Layout allowances;<br/>Nominal length<br/>+2mm<br/>Nominal depth<br/>+4mm</p> |
|---|--|


# META QUICK // Boltless shelving

– the versatile racking solution.



**Starter Bay:**  
2 frames  
4 shelves  
fastenings

Layout allowances:  
Nominal length  
+ 56 mm  
Nominal depth  
+ 36 mm



**Add-on bay**  
1 frame  
4 shelves  
fastenings

Layout allowances:  
Nominal length  
+ 6 mm  
Nominal depth  
+ 36 mm

## The all round solution

The versatile shelving system equally at home in the workshop, warehouse, store room, showroom, cellar, garage and office.

- QUICK // KIT S100 galvanised MS 230 // galvanised and powder coated RAL 7035
- Ready packed starter and add-on bays
- Shelves will accept system accessories such as dividers – perforated at 50 mm centres.
- Shelves can be quickly adjusted at 25 mm vertical centres.
- Easily assembled boltless system.

## THREE BAY QUICK // KIT S 100

As pictured (excluding stored goods)

Galvanised finish.

Overall dimensions 2000mm H x 3068mm L x 436mm D.

4 shelves per bay – one starter bay and two add-on bays.

**Ref No. 63146**

\* Uniformly distributed load (UDL)

## Standard META QUICK // bays S 100

| Bay height<br>mm | Bay width x depth<br>mm | Shelf levels<br>pcs | Shelf load*<br>kg | Bay load*<br>kg | Galvanised finish |                |
|------------------|-------------------------|---------------------|-------------------|-----------------|-------------------|----------------|
|                  |                         |                     |                   |                 | Starter<br>Ref.   | Add-on<br>Ref. |
| 2000             | 1000 x 400              | 4                   | 115               | 885             | 11537             | 11538          |

## Standard META QUICK // bays MS 230 //

| Bay height<br>mm | Bay width x depth<br>mm | Shelf levels<br>pcs | Shelf load*<br>kg | Bay load*<br>kg | Galvanised finish |                | Powder coated RAL 7035 |                |
|------------------|-------------------------|---------------------|-------------------|-----------------|-------------------|----------------|------------------------|----------------|
|                  |                         |                     |                   |                 | Starter<br>Ref.   | Add-on<br>Ref. | Starter<br>Ref.        | Add-on<br>Ref. |
| 2000             | 1000 x 500              | 4                   | 230               | 865             | 11321             | 11322          | 68417                  | 68418          |

## Extra shelves S 100 (pack of two)

| Shelf-length x depth<br>mm | Shelf load*<br>kg | Finish             |      |
|----------------------------|-------------------|--------------------|------|
|                            |                   | galvanised<br>Ref. | Ref. |
| 1000 x 400                 | 115               | 11539              |      |

## Extra shelves MS 230 // (pack of two)

| Shelf-length x depth<br>mm | Shelf load*<br>kg | Finish             |                               |
|----------------------------|-------------------|--------------------|-------------------------------|
|                            |                   | galvanised<br>Ref. | powder coated RAL7035<br>Ref. |
| 1000 x 500                 | 230               | 11324              | 68416                         |

# Standard META QUICK // bays S150



The storage system



**Starter Bay:**  
2 Frames  
4 shelves  
fastenings

Layout allowances  
Nominal length  
+ 56 mm  
Nominal depth  
+ 36 mm



**Add-on bay**  
1 frame  
4 shelves  
fastenings

Layout allowances  
Nominal length  
+ 6 mm  
Nominal depth  
+ 36 mm

## Boltless System Benefits

This professional storage system offers rapid build and rapid adjustment of shelf position to ensure the flexibility to meet changing storage needs.

Standard bays are offered in 2000mm height and three depths using META S150 shelves.

- Ready packed starter and add-on bays.
- Shelves can be quickly adjusted at 25 mm vertical centres.
- Shelves will accept system accessories such as dividers – perforated at 50 mm centres.
- Shelf load up to 150 kg UDL
- Bay load up to 700 kg UDL

## Standard META QUICK // BAYS S 150

| Bay height<br>mm | Bay width x depth<br>mm | Shelf levels<br>pcs | Shelf load*<br>kg | Bay load*<br>kg | Finish – galvanised |                |
|------------------|-------------------------|---------------------|-------------------|-----------------|---------------------|----------------|
|                  |                         |                     |                   |                 | Starter<br>Ref.     | Add-on<br>Ref. |
| 2000             | 1000 x 400              | 4                   | 150               | 700             | 82261               | 82262          |
| 2000             | 1000 x 500              | 4                   | 150               | 700             | 82263               | 82264          |
| 2000             | 1000 x 600              | 4                   | 150               | 700             | 82265               | 82266          |

## Extra shelf S 150 (pack of two)

| Shelf Length and depth<br>mm | Shelf load*<br>kg | Finish galvanised<br>Ref. |
|------------------------------|-------------------|---------------------------|
| 1000 x 400                   | 150               | 82678                     |
| 1000 x 500                   | 150               | 82679                     |
| 1000 x 600                   | 150               | 82680                     |

\* Uniformly distributed load (UDL)



# Standard META COMPACT® Office Shelving

Ready packed bays



Bolted office shelving with top shelf as dust cover: 1850 mm high, 300 mm deep. RAL 7035 light grey. Illustrated with three different shelf widths – see full range.

**META COMPACT® Bolted shelving:** The economical solution for the storage of archives and records. Offers optimum storage capacity for box and ring binders or publications.

- **Bay height:** 1850 mm
- **Shelf depth:** 300 mm
- **Shelf width:** 1000 mm
- **Shelf load capacity:** 70 kg for starter bays and 60 kg for add-on bays – both UDL ratings
- **Finish:** Powder coated in light grey RAL 7035
- **Shelves:** Adjustable at 25 mm vertical pitch
- **Bay components**
  - Starter bay**  
4 uprights with protective feet, 6 shelves and fasteners.
  - Add-on bay**  
As with starter bay but only 2 uprights.



## Standard META COMPACT® bolted bays, finish RAL 7035 light grey.

| Bay height<br>mm | Bay width<br>mm | Bay depth<br>mm | Shelf levels<br>pcs | Box files stored per bay | Shelf load    |              | Finish: Coated RAL 7035 |                |
|------------------|-----------------|-----------------|---------------------|--------------------------|---------------|--------------|-------------------------|----------------|
|                  |                 |                 |                     |                          | Starter<br>kg | Add-on<br>kg | Starter<br>Ref.         | Add-on<br>Ref. |
| 1850             | 1000            | 300             | 6                   | 60                       | 70            | 60           | 81898                   | 81901          |



Single sided run of boltless office shelving with top shelf as dust cover. Light grey RAL 7035 – 1850 mm high and 300mm deep. Illustrated with 1250 mm high and 300mm deep. Illustrated with 1250 mm high and 300mm deep. Standard bays below with 1000 mm wide bays.

**META COMPACT® boltless office shelving** blends into every office environment. The general dimensions of the bays are ideal for the storage of box files, ring binders and documents. The shelving is easily assembled in the office (or confined document store)

- **Bay height:** 1850 mm
- **Shelf depth:** 300 mm
- **Shelf width:** 1000 mm
- **Shelf load capacity:** 70 kg for starter bays and 60 kg for add-on bays – both UDL ratings
- **Finish:** Plastic coated in light grey RAL 7035
- **Shelves:** Adjustable at 25 mm vertical pitch
- **Bay components**
  - Starter bay:**  
2 Frames with feet, 6 shelves and assembly fittings
  - Add-on bay:**  
1 Frame with feet, 6 shelves and assembly fittings



## Standard META COMPACT® boltless Office shelving bays. Coated RAL 7035 light grey.

| Bay height<br>mm | Bay width<br>mm | Bay depth<br>mm | Shelf levels<br>pcs | Box files stored per bay | Shelf load    |              | Finish: Coated RAL 7035 |                |
|------------------|-----------------|-----------------|---------------------|--------------------------|---------------|--------------|-------------------------|----------------|
|                  |                 |                 |                     |                          | Starter<br>kg | Add-on<br>kg | Starter<br>Ref.         | Add-on<br>Ref. |
| 1850             | 1000            | 300             | 6                   | 60                       | 70            | 60           | 83150                   | 83151          |

\* Uniformly distributed load (UDL)